

## References for the stochastic wave equation.

R.C. Dalang.

- [1] Cabaña, E. The vibrating string forced by white noise. *Z. Wahrscheinlichkeitstheorie und V. Gebiete* 15 (1970), 111-130.
- [2] Carmona, R. and Mueller, D. Random non-linear wave equations: propagation of singularities. *Annals Probab.* 16 (1988), 730-751.
- [3] Carmona, R. and Mueller, D. Random non-linear wave equations: smoothness of the solutions. *PTRF* 79 (1988), 469-508.
- [4] Dalang, R.C. Extending the martingale measure stochastic integral with applications to spatially homogeneous s.p.d.e.'s. *Electronic J. Probab.* 4 (1999), 29pp.
- [5] Dalang, R.C. and Frangos, M.E. The stochastic wave equation in two spatial dimensions. *Annals Probab.* 26 (1998), 187-212.
- [6] Dalang, R.C. and Lévêque, O. Second-order hyperbolic spde's driven by isotropic Gaussian noise on a sphere. *Annals Probab.* 32 (2004), 1068-1099.
- [7] Dalang, R.C. and Lévêque, O. Second-order hyperbolic spde's driven by homogeneous Gaussian noise on a hyperplane. *Trans. Amer. Math. Soc.* 358 (2006), 2123-2159.
- [8] Dalang, R.C. and Mueller, C. Some non-linear s.p.d.e.'s that are second order in time. *Electr. J. Probab.* 8 (2003), 21pp.
- [9] Dalang, R.C., Mueller, C. and Tribe, R. A Feynman-Kac-type formula for the deterministic and stochastic wave equations and other p.d.e.'s. *Transactions of AMS* (2006, to appear).

- [10] Dalang, R.C. and Mueller, E. Potential theory for hyperbolic s.p.d.e.'s. *Annals Probab.* 32 (2004), 2099-2148.
- [11] Dalang, R.C. and Sanz-Solé, M. Regularity of the sample paths of a class of second-order spde's. *J. Funct. Analysis* 227 (2005), 304-337.
- [12] Dalang, R.C. and Sanz-Solé, M. Hölder-Sobolev regularity of the solution to the stochastic wave equation in dimension 3 (2006, preprint).
- [13] Karczewska, A. and Zabczyk, J. Stochastic pde's with function-valued solutions. In: "Infinite-dimensional stochastic analysis." Amsterdam (1999).
- [14] Millet, A. and Sanz-Solé, M. A stochastic wave equation in two space dimensions: smoothness of the law. *Annals Probab.* 27 (1999), 803-844.
- [15] Millet, A. and Sanz-Solé, M. Approximation and support theorem for a wave equation in two space dimensions. *Bernoulli* 6 (2000), 887-915.
- [16] Mueller, C. Long time existence for the wave equation with a noise term. *Annals Probab.* 25 (1997), 133-152.
- [17] Peszat, S. The Cauchy problem for a non-linear stochastic wave equation in any dimension. *J. Evol. Eq.* 2 (2002), 383-394.
- [18] Peszat, S. and Zabczyk, J. Nonlinear stochastic wave and heat equations. *Probab. Th. Rel. Fields* 116 (2000), 421-443.
- [19] Quer-Farfaneyous, L. and Sanz-Solé, M. Absolute continuity of the law of the solution to the 3-dimensional stochastic wave equation. *J. Funct. Analysis* 206 (2004), 1-32.

- [20] Quer-Sardanyons, L. and Sanz-Solé, M. A stochastic wave equation in dimension 3: smoothness of the law. *Bernoulli* 10 (2004), 165-186.
- [21] Sanz-Solé, M. and Sarrà, M. Path properties of a class of Gaussian processes with applications to spde's. In: *CMS Conf. Proc.* 28, Amer. Math. Soc. (2000), 303-316.
- [22] Walsh, J.B. An introduction to stochastic partial differential equations. In: *École d'été de probabilités de Saint-Flour XIV-1984*, Lecture Notes in Math. 1180. Springer (1986), 265-439.