

## Review – Problems from past quals

I didn't try to sort these in any way, some are very similar to each other, and there are no hints (with one exception).

1. Let  $f$  be a holomorphic function on a disk centered at 0 and radius  $> 1$ . Prove that if  $|z| < 1$  then

$$f(z) = \frac{1}{2\pi i} \int_C \frac{f(\xi)}{\sin(\xi - z)} d\xi$$

where  $C$  is the unit circle oriented counterclockwise.

2. Prove that if  $f$  is an entire function satisfying

$$|f(z)| \leq A + B \log |z|$$

for some  $A, B > 0$  and all  $z$  with  $|z| \geq 1$ , then  $f$  is a constant function.

3. Determine if there exists an entire function  $f$  such that

$$f\left(\frac{1}{n}\right) = f\left(-\frac{1}{n}\right) = \frac{1}{n^3}$$

for all  $n = 1, 2, \dots$ .

4. Let

$$f(z) = \frac{e^{\frac{1}{z-1}}}{e^z - 1}$$

Determine all isolated singularities of  $f$  and their type. Also compute the residue at each pole.

5. Evaluate the integral

$$\int_0^{2\pi} \frac{\cos^2 3\theta}{1 - 2a \cos \theta + a^2} d\theta$$

where  $a$  is a complex number with  $|a| < 1$ .

6. Let  $f$  be a holomorphic function with an isolated singularity at  $z = a$ . Assume that  $g = \frac{1}{f}$  also has an isolated singularity at  $z = a$ , and that  $a$  is not a removable singularity for either  $f$  or  $g$ . Determine what type of singularity is  $a$  for  $f$  and  $g$ . Do you know an example of such a function  $f$ ?

7. Let  $f$  be holomorphic in  $\mathbb{C} \setminus \{0, 2\}$ . Assume:
- (i) 0 and 2 are poles of order 1,
  - (ii)  $f$  is bounded on  $|z| \geq 3$ ,
  - (iii) the integral of  $f$  over the circle  $C(0, 1)$  centered at 0 and radius 1 is  $2\pi i$ , and
  - (iv) the integral of  $f$  over the circle  $C(0, 3)$  centered at 0 and radius 3 is 0.

Determine  $f$ .

8. Let  $f$  be an entire function such that  $f' = f$ . Prove that  $f(z) = Ce^z$  for some constant  $C$ . Hint: Power series
9. Evaluate the integral

$$\int_0^{\infty} \frac{\sin ax}{x(x^2 + b^2)} dx$$

where  $a, b \in \mathbb{R}$  and  $b \neq 0$ .

10. Characterize all entire functions  $f$  such that

$$\lim_{z \rightarrow \infty} \frac{1}{f(z)} = 0$$

11. Let  $\Omega \subseteq \mathbb{C}$  be open and  $f$  holomorphic in  $\Omega$ . Let  $b \in \Omega$  and assume  $f'(b) \neq 0$ . Show that

$$\frac{2\pi i}{f'(b)} = \int_C \frac{1}{f(z) - f(b)} dz$$

for sufficiently small positively oriented circles  $C$  centered at  $b$ .

12. Determine the poles and their orders of the function

$$\frac{1}{e^z - 1} - \frac{1}{z}$$

13. Suppose  $a > 1$ . Compute

$$\int_0^{2\pi} \frac{d\theta}{a + \sin \theta}$$

14. Evaluate

$$\int_0^{\infty} \frac{1}{x^3 + 1} dx$$

15. Suppose  $f$  is holomorphic in  $0 < r < |z| < R$  and suppose that for some  $\rho$  with  $r < \rho < R$

$$\int_{|z|=\rho} f(z)z^n dz = 0$$

for all negative integers  $n$ . Show that  $f$  extends to a holomorphic function on  $|z| > r$ .

16. Let  $f$  be an injective entire function and put  $g(z) = f(1/z)$ . Show that  $g$  does not have an essential singularity at  $z = 0$ . Further show that  $f(z) = az + b$  for some constants  $a, b$ .
17. Let  $f$  be holomorphic on  $D \setminus \{0\}$  where  $D$  is the unit disk. Assume that  $f'$  is bounded on  $D \setminus \{0\}$ . Prove that  $f$  extends to a holomorphic function on  $D$ .
18. Let  $f$  be an entire function such that  $|f(z)| \neq 1$  for all  $z \in \mathbb{C}$ . Show that  $f$  is a constant function.
19. Let  $f$  be an entire function.
- (a) If there is a polynomial  $g$  such that  $|f(z)| \leq |g(z)|$  for every  $z$ , show that  $f$  is also a polynomial.
  - (b) Can we draw the same conclusion if  $g$  is assumed to be a rational function instead of a polynomial?
20. Show that any continuous function on  $|z| \leq 1$  which is holomorphic on  $|z| < 1$  can be uniformly approximated by polynomials.
21. Suppose  $f$  is holomorphic on  $|z| < 1$  and satisfies  $|f(1/n)| \leq 1/n^n$  for all  $n = 2, 3, \dots$ . Determine  $f$ .
22. If  $f$  is entire and nowhere 0, show that there is an entire function  $g$  such that  $f = g^2$ .
23. If  $f$  is entire and not a polynomial, show that for every  $\epsilon > 0$  there is  $z$  with  $|f(z) - z^2| < \epsilon$ .